




REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	---	-	-	-



 <h1>RED BARN MACHINE</h1>			
<h2>TITLE UNSCHEDULED LINE MAINTENANCE TOOL KIT</h2>			
DWG NO. <b>RBPWC64623-300</b>			REV -
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: <b>PERRITT</b>	
TOLERANCES ON:		APPROVED <i>D Weill</i>	
DECIMALS .XXX ± .005	METRIC X ± .1mm	HEAT TREAT -	
.XX ± .01	FRACTIONS ± 1/32	FINISH -	
X ± .1	ANGLES ± 5°	SPEC -	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES 015 x 45° PR 015 R		USED ON MODEL <b>PW206B &amp; 206B2</b>	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE <b>NTS</b>	DATE <b>11-2-09</b>	SHEET <b>1 of 3</b>	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	--	-	-	-



#### NOTES

1. ALL DEPTHS MEASURED FROM TOP SURFACE.

**RED BARN MACHINE**

TITLE **UNSCHEDULED LINE MAINTENANCE  
TOOL KIT; BOTTOM PADDING**

DWG NO. **RBPWC64623-300-15** REV **-**

UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN INCHES  
TOLERANCES ON:  
DECIMALS .XXX ± .005 METRIC .X ± .1mm  
.XX ± .01 FRACTIONS ± 1/32  
.X ± .1 ANGLES ± 5°


UNLESS OTHERWISE SPECIFIED  
1. BREAK ALL SHARP EDGES  
.015 x 45° PR .015 R  
2. DIMENSIONAL LIMITS APPLY AFTER PLATING


SCALE **NTS** DATE **11-2-09** SHEET **2 of 3**

DRAWN BY: **PERRITT**  
APPROVED  
HEAT TREAT -  
FINISH SPEC -  
USED ON MODEL  
**PW206B & 206B2**

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
-	---	-	-	-



 <b>RED BARN MACHINE</b>			
TITLE <b>UNSCHEDULED LINE MAINTENANCE TOOL KIT; PLACARD</b>			
DWG NO. <b>RBPWC64623-300-19</b>		REV <b>-</b>	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX $\pm$ .005 .XX $\pm$ .01 .X $\pm$ .1		DRAWN BY: <b>PERRITT</b> APPROVED HEAT TREAT - FINISH SPEC - USED ON MODEL <b>PW206B &amp; 206B2</b>	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING			
SCALE <b>NTS</b>	DATE <b>11-2-09</b>	SHEET <b>3 of 3</b>	